DARBY & DARBY

Professional Corporation

RECEIVED
CENTRAL FAX CENTER

APR 1 4 2008

NEW YORK 7 World Trade Center 250 Greenwich Street

New York, NY 10007-0042 Tel: 212.527.7700

Fax: 212.527.7701

NFW YORK SEATTLE WASHINGTON, D.C. FRANKFURT

INTELLECTUAL PROPERTY LAW

DATE: April 14, 2008

FILE #: 20050/0200479-US0

		CONFIRMATION
FACSIMILE NO.	RECIPIENT AND COMPANY	WILL FOLLOW
TACOLALIZATION		<b>1</b>
571-273-8300	OIPE Patent & Trademark Office	No

FROM:

Julian A. Williams

E-MAIL: jwilliams@darbylaw.com

PHONE:

917.286.2940

NO. OF PAGES:

6

(including cover page)

COMMENTS:

#### PLEASE RETURN TO JULIAN A. WILLIAMS

\* IF YOU DO NOT RECEIVE ALL PAGES, PLEASE TELEPHONE US IMMEDIATELY AT 212.527.7774

THE INFORMATION CONTAINED IN THIS FACSIMILE MESSAGE IS INTENDED ONLY FOR THE USE OF THE INDIVIDUAL OR ENTITY NAMED ABOVE IF THE FRADER OF THIS MESSAGE IS NOT THE INTENDED RECIPIENT, OR THE EMPLOYEE OR AGENT RESPONSIBLE TO DELIVER IT TO THE INTENDED RECIPIENT, YOU ARE HERBY NOTIFIED THAT ANY DISSEMINATION, DISTRIBUTION OR COPYING OF THIS COMMUNICATION IS STRICTLY PROBUBITED. IF YOU HAVE RECEIVED THIS COMMUNICATION IN ERROR, PLEASE IMMEDIATELY NOTIFY US BY TELEPHONE SO THAT WE CAN ARRANGE FOR THE RETRIEVAL OF THIS DOCUMENT AT NO COST

## RECEIVED CENTRAL FAX CENTER

APR 1 4 2008

PLEASE CHARGE ANY DEFICIENCY UP TO \$300.00 OR CREDIT ANY EXCESS IN THE FEES DUE WITH THIS DOCUMENT TO OUR DEPOSIT ACCOUNT NO. 04-0100

Docket No.: 20050/0200479-US0

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

	44 1 2 2 2 2				
In re Ap	oplication of:	Satoshi Mizutani et. al			
Serial N	io.: 10/706	5,303			
Filed: November 10, 2003					
For: INTERLABIAL PAD AND WRAPPING BODY					
REQUEST FOR CORRECTED FILING RECEIPT					
Commissioner of Patents and Trademarks P.O. Box 1450 Alexandria, VA 22313-1450					
Sir:					
1.	Attached is a copy of the official filing receipt received from the PTO in the above application for which issuance of a corrected filing receipt is respectfully requested.				
2.	There is an error with respect to the following data, which is:				
	$\boxtimes$	incorrectly entered	and/or		
		omitted.			

Church Street Station New York, NY 10008-0770

	Error in	Correct data		
	Applicant's name			
	Applicant's address	INTERLABIAL PAD AND WRAPPING BODY		
$\boxtimes$	Title			
	Filing Date			
	Application Number			
	Foreign/PCT Application Re:			
	Other			
		Remarks:		
	Enclosed please find a copy of the Substitute Specification filed November 14, 2007 that shows the correct title of the Application.  The Commissioner is respectfully requested to issue a new and correct Filing Receipt.			
		Respectfully submitted,		
Dated: April 10, 2008		Flynn Barrison Reg. No. 53,970		
DA	RBY & DARBY P.C.	Agent for Applicant(s)		
	Box 770	·		

#### RECEIVED **CENTRAL FAX CENTER**

APR 1 4 2008



## JNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Pusses and Trademark Office: Address COMMISSIONER FOR PAPENTS PC. Box 1450 Alexandra, Magnet 20015-1450 www.uspho.gov

TOT CLMS IND CLMS DRAWINGS ATTY, DOCKET NO FILING OR 371 FIL FEE REC'D ART UNIT APPL NO. (c) DATE 16

20050/0200479-US0 3761 900 11/10/2003 10/706,303

**CONFIRMATION NO. 5755** 

UPDATED FILING RECEIPT

-QC0000000012381630\*

07278 DARBY & DARBY P.C. P. O. BOX 5257 NEW YORK, NY 10150-5257

Date Mailed: 04/16/2004

Receipt is acknowledged of this regular Patent Application. It will be considered in its order and you will be notified as to the results of the examination. Be sure to provide the U.S. APPLICATION NUMBER, FILING DATE, NAME OF APPLICANT, and TITLE OF INVENTION when inquiring about this application. Fees transmitted by check or draft are subject to collection. Please verify the accuracy of the data presented on this receipt. If an error is noted on this Filing Receipt, please write to the Office of Initial Patent Examination's Filing Receipt Corrections, facsimile number 703-746-9195. Please provide a copy of this Filing Receipt with the changes noted thereon. If you received a "Notice to File Missing Parts" for this application, please submit any corrections to this Filing Receipt with your reply to the Notice. When the USPTO processes the reply to the Notice, the USPTO will generate another Filing Receipt incorporating the requested corrections (if appropriate).

#### Applicant(s)

Satoshi Mizutani, Kagawa, JAPAN; Koichi Yamaki, Kagawa, JAPAN; Yuki Noda, Kagawa, JAPAN; Megumi Tokumoto, Kagawa, JAPAN; Akane Sakai, Kagawa, JAPAN,

## **Assignment For Published Patent Application**

Uni-Charm Corporation, Kawance-Shi, JAPAN;

## Domestic Priority data as claimed by applicant

This application is a CON of PCT/JP02/04886 05/21/2002

#### Foreign Applications

JAPAN 2001-152403 05/22/2001 JAPAN 2001-361463 11/27/2001

If Required, Foreign Filling License Granted: 02/06/2004

Projected Publication Date: 07/29/2004

Non-Publication Request: No

Early Publication Request: No

RECEIVED CENTRAL FAX CENTER

Title

Interlabial pad and package

APR 1 4 2008

Preliminary Class

604

#### LICENSE FOR FOREIGN FILING UNDER Title 35, United States Code, Section 184 Title 37, Code of Federal Regulations, 5.11 & 5.15

#### GRANTED

The applicant has been granted a license under 35 U.S.C. 184, if the phrase "IF REQUIRED, FOREIGN FILING LICENSE GRANTED" followed by a date appears on this form. Such licenses are issued in all applications where the conditions for issuance of a license have been met, regardless of whether or not a license may be required as set forth in 37 CFR 5.15. The scope and limitations of this license are set forth in 37 CFR 5.15(a) unless an earlier license has been issued under 37 CFR 5.15(b). The license is subject to revocation upon written notification. The date indicated is the effective date of the license, unless an earlier license of similar scope has been granted under 37 CFR 5.13 or 5.14.

This license is to be retained by the licensee and may be used at any time on or after the effective date thereof unless it is revoked. This license is automatically transferred to any related applications(s) filed under 37 CFR 1.53(d). This license is not retroactive.

The grant of a license does not in any way lessen the responsibility of a licensee for the security of the subject matter as imposed by any Government contract or the provisions of existing laws relating to espionage and the national security or the export of technical data. Licensees should apprise themselves of current regulations especially with respect to certain countries, of other agencies, particularly the Office of Defense Trade Controls, Department of State (with respect to Arms, Munitions and Implements of War (22 CFR 121-128)); the Office of Export Administration, Department of Commerce (15 CFR 370.10 (j)); the Office of Foreign Assets Control, Department of Treasury (31 CFR Parts 500+) and the Department of Energy.

#### NOT GRANTED

No license under 35 U.S.C. 184 has been granted at this time, if the phrase "IF REQUIRED, FOREIGN FILING LICENSE GRANTED" DOES NOT appear on this form. Applicant may still petition for a license under 37 CFR 5.12, if a license is desired before the expiration of 6 months from the filing date of the application. If 6 months has lapsed from the filing date of this application and the licensee has not received any indication of a secrecy order under 35 U.S.C. 181, the licensee may foreign file the application pursuant to 37 CFR 5.15(b).

1

## INTERLABIAL PAD AND PACKAGE WRAPPING BODY

# CROSS-REFERENCE TO RELATED APPLICATIONS Gross Reference to Related Applications

[0001] This application is a continuation of international application no. PCT/JP02/04886 filed May 21, 2002, which application published in Japanese on Nov. 28, 2002 as WO 02/094150 A1 under PCT Article 21(2).

## BACKGROUND OF THE INVENTION Background of the Invention

#### [0002] 1. TECHNICAL FIELD Technical Field

[0003] The present prevention relates to an interlabial pad which can be easily worn to the interlabial space with precision and a wrapping body for wrapping the interlabial pad with a wrapping container.

#### [0004] 2. BACKGROUND ART Background Art

[0005] Conventionally, a sanitary napkin and a tampon are used generally as female sanitary products. Here, there have been great efforts to prevent the leak of menstrual blood from gap caused by poor adhesion near the ostium vaginae as for the sanitary napkin. Moreover, as for the tampon, there have been great efforts for relieving the foreign feeling and the discomfort when wearing the sanitary products and intervaginal wearing trouble due to the nature of those products.

[0006] Under such situation, sanitary products of the interlabial pad have attracted people as a sanitary product positioned between the sanitary napkin and the tampon in recent years.

[0007] The interlabial pad, fixed by inserting it between the labia, has characteristics that it is difficult to cause the leak of menstrual blood because of higher adhesion to the body than that of the sanitary napkin and psychological resistance thereof on wearing is lower than that of the tampon which is inserted into the vagina.